



PT. SINAR HIMALAYA
Professional Kitchen Equipment

KITCHEN EQUIPMENT PRODUCT CATALOG



Website

Established on 1974, nature business focusing on Sales and Marketing of imported either Asia or Europe food and bakery machinery, packaging, pharmaceutical, woodworking, hotel / restaurant / cafe equipment and bakeware utensils, we deliver advanced technology and proven excellent quality, reliable and durable products, and authentic after sales service at any time, providing more forefront services. We also maintain adequate inventory / stock level of genuine spare parts, equipments and accessories to ensure your equipments can be fixed promptly.

For almost four decades, thanks to our esteemed client's faithfully support and proponent, and based on constantly accumulated successful experience and competitive edge in developing the business, we are expanding our business vigorously while implementing product diversification, supplying products to the development trend, whatever products you may need, you will almost be able to find one suitable to your requirement. Currently our clients ranging from large scale to small scale factories, laboratory, wholesalers and retailers, hypermarket/supermarket chain stores, hotels, restaurants, cafes, bakery shops, cake shops, home users, personal etc.

We market the products to all over Indonesia with the marketing area include :

- a) Jakarta Office : Covering Greater Jakarta, West Java, Banten Province & West Kalimantan.
- b) Surabaya Office : Covering East Java, East Kalimantan, South Kalimantan, Central Kalimantan, North Kalimantan and eastern part of Indonesia.
- c) Semarang Office : Covering Central Java and Yogyakarta.
- d) Medan Office : Covering Sumatra Island and surrounding.

Differentiation or uniqueness of our company compared with our competitors are :

- a) We carry out services to all customers, supply service parts by our own technicians, including machine installation, commissioning and operator training until the machine can operate well with no charges.
- b) We have adequate inventory and stock level of genuine spare parts, equipment and accessories in our warehouse, assuring the machine can be fixed promptly.
- c) We cater after sales service.
- d) We have a team of technicians who are ready to be contacted any time.

With the support of all parties, we believe that we can provide the best services to our customers which are widely spread all over Indonesia, especially western part of Indonesia (Jakarta, Surabaya, Semarang, Medan and the eastern part of Indonesia).

Finally, we would like to thank you for the trust and opportunity that you have given to cooperate together in developing importation business in Indonesia.

OUR CUSTOMER



And many more....

BLENDER

KING CHEF



LY-803

LY-8001JX

LY-767

LY-388-2L

LY-8003

LY-380

Capacity	1L	1.8L	2L	2L	2L	3.8L
Power	0,5kW	1,5kW	1,2kW	1,5kW	2,2kW	2,5kW
Dimension	431x248x301mm	285x285x545mm	315x260x363mm	435x260x285mm	215x274x449mm	445x325x305mm
Weight	4.2Kg	6.3Kg	3.2Kg	4.5Kg	8Kg	8.5Kg

COFFEE MACHINE

La Forte



EM-18

EM-19-M2

EM-23

EM-30

Boiler	350ml	420ml	750ml	750ml
Steam Boiler Capacity	3.5L	3L	3.8L	2L
Electrical	0,95kW	2,25kW	2,5kW	2,75kW
Dimension	260x280x340mm	280x320x390mm	470x300x480mm	470x300x500mm
Weight	10Kg	15Kg	21,8Kg	35Kg

*EM-30 : US imported PROCON rotary pump



ME-709

ME-717

Container Capacity	250gr	200gr
Water Tank Capacity	1,6L	1,6L
DregDrawer Capacity	8pcs/hole	-pcs/hole
Pump Pressure	19Bar	19Bar
Power	1,25kW	0,95kW
Dimension	415x320x365mm	422x280x380mm
Weight	12Kg	12,7Kg

FOOD PROCESSOR

Feature :

- A cutting bowl and a vegetable cutter attachment works on the same plastic motor base.
- Polycarbonate lid designed to allow the addition of liquid or ingredients during processing.
- Single speed of 1500 rpm for two attachments.
- Compact design and medium duty can meet most of daily kitchen use.
- Interlocked apparatus included for safety use.
- Direct drive motor.
- Detachable blades and discs.



Shreds



GC003
Ø3mm



GC007
Ø7mm

Slices



SC002
Ø2mm



SC004
Ø4mm



Dimension	200x230x580mm
Electrical	0,6kW/1ph/220V
Bowl Capacity	3L
Speed	1500rpm
Weight	15,4Kg

POTATO PEELER



DOOR WITH LOCK

Discharge door with lock easy to open and close.

WIDE APPLICATION

Wide application range and it is especially suitable for using in various star-level hotels, guesthouse, restaurant and snackbars.

S.STEEL STRUCTURE

The shell of the potato peeling machine is completely made from stainless steel, all components are robust and stable.

INTERNAL WALLS

The internal walls of the container are in abrasive resin to enable a higher level of abrasion with the product to be worked.

EASY TO CLEAN

Maximum hygiene, the result of the careful selection of materials which come into contact with foodstuffs and due to the elimination of sharp edges from the part which comes into contact with the product, such a way to guarantee easy and thorough cleaning.

ATP8

Dimension	380x380x840mm
Power	1,1kW
Voltage	220V
Speed	227rpm
Weight	55kg

CUTTING MIXER



AQXP5A

Power	0,34kW
Voltage	220V
Bowl Volume	5Liters
Dimension	605x485x615mm
Weight	37kg

CUTTING MIXER



ET-HLQ-20

Power	1,5kW
Voltage	220V
Motor Speed	1400rpm
Pam Speed	12-24rpm
Capacity	24L
Dimension	1000x795x1085mm
Weight	125kg

CHOPPER/MEAT GRINDER



	MG-3LG	MG-6LG	MG-10LG
Capacity	3L	6L	10L
Power	550Watt	850Watt	1200Watt

MEAT MINCERS



	TC-7	TC-12	TC-22
Capacity	30kg/h	150kg/h	36kg/h
Power	140Watt	735Watt	1100Watt
Dimension	355x166x378mm	420x265x548mm	490x305x607mm
Weight	8,3Kg	27Kg	36Kg

MEAT SLICER



	WED-B200B-2	WED-B250B-4	WED-B300B-4
Dimension	410x400x350mm	470x420x390mm	590x525x440mm
Weight	14.5kg	14kg	27kg
Cut Of The Itinerary	150mm	185mm	220mm
Adjust The Thickness Of	0-13mm	0-13mm	0-18mm
Power	210W	240W	270W
Blade Diameter	ø220mm	ø250mm	ø300mm

BONE SAW



QJH-W210CA

QJH-W310CA

QJH-W500A

Power	1,1kW	1,5kW	2,2kW
Wheel Diameter	210mm	260mm	400mm
Length of Saw Blade	1650mm	2218mm	3370mm
Band Saw Speed	15m/s	15m/s	34m/s
Commodity Height/Width	225/192mm	380/250mm	565/370mm
Table Size	500x400	700x550mm	880x760
Dimension	565x505x910mm	740x695x1545mm	900x960x1935mm
Weight	46Kg	87Kg	178Kg

ELECTRIC GRIDDLE



EG-818



EG-820

EG-818

EG-820

Dimension	550x420x230mm	730x450x230mm
Power	3000watt	4400watt
Voltage	220V 50-60Hz	220V 50-60Hz
Weight	17.5kg	26kg

GAS GRIDDLE



EG-718



EG-720



EG-722
Griddle & Groove

EG-718

EG-720

EG-722

Dimension	550x530x350mm	730x580x350mm	730x580x350mm
Weight	22.5kg	28.5kg	28.5kg

GAS NOODLE COOKER



EH-706



EH-776

EH-706

Dimension	380x540x305mm
Weight	10.5kg

EH-776

Dimension	600x700x900mm
Weight	28kg



GAS RICE STEAMER

HDRQ-80

Dimension	700x600x1400mm	Capacity	8trays
-----------	----------------	----------	--------

HDRQ-120

Dimension	700x600x1750mm	Capacity	12trays
-----------	----------------	----------	---------

HDRQ-240

Dimension	1400x600x1750mm	Capacity	24trays
-----------	-----------------	----------	---------

HDRQ-360

Dimension	1580x800x1750mm	Capacity	36trays
-----------	-----------------	----------	---------



HDRQ-80/HDRQ-120

HDRQ-240/HDRQ-360

GAS RICE COOKER



KC-10L

Dimension	515x515x420mm	Capacity	8,3kg	Gas Pressure	2,8Kpa	Weight	13,9kg
			10,5kg		2,8Kpa		14,5kg
			12kg		2,8Kpa		15,8kg

KC-16L

KC-20L

GAS STOVE



ET - TSRQBZL

Dimension	609x666x412mm
Gas Usage	0.648 M3/H
Weight	33kg

ELECTRIC LAVA ROCK GRILL



LECB-7C

Dimension	800x900x(850+70)mm
Electrical	8kW/380Volt

GAS COOKER WITH OVEN



LGR-74V

LGR-76V

Gas Pressure (Pa)	2800-3700LPG / 2000-2500NG	
Gas Inlet Size	G3/4"	
Power	27kW	38kW
Dimension	700x700x(850+70)mm	1050x700x(850+70)mm



GAS TILTING PAN



LGTF-80S

LGBK-100RO

Dimension	800x900x920mm	1040x800x1100mm
Capacity	80L	100L
Gas Inlet Size	G3/4	G3/4
Gas Pressure (Pa)	2800-3700LPG	2800-3700LPG

GAS FRYER



HY-77

HY-78

DF-26A

DF-74N

DF-75N

Dimension	635x295x540mm	635x590x540mm	400x750x1070mm	590x520x980mm	590x520x980mm
Capacity	12L	2x12L	26L	28L	14Lx2
Weight	17Kg	20.6kg	50kg	23Kg	23Kg

GAS FRYER



JBT-17/1T

JBT-23-2R

JBT-25T

JBT-26B

JBT-28

Dimension	505x505x390mm	800x640x560mm	505x520x1050mm	760x450x800mm	925x490x880mm
Capacity	17L	20L	25L	30L	38L
Oil Tank Size	445x375x120mm	525x370x120mm	450x375x165mm	660x370x155mm	620x410x190mm



JBT-25aR/JBT-40R

JBT-25aR

JBT-40R

JBT-50L

JBT-40T

Dimension	680x510x850mm	860x580x850mm	960x575x860mm	7830x620x950mm
Capacity	25L	40L	50L	64L
Oil Tank Size	600x370x200mm	780x430x200mm	630x410x155mm	770x440x190mm

HORIZONTAL HARDCOVER MIXER



JBT-15KG

JBT-25KG

Dimension	740x450x780mm	820x540x780mm
Rotation Speed	38r/min	40r/min
Capacity	15Kg	25Kg
Electric Power	2.2kw/220V/50Hz	2.2kw/220V/50Hz

ELECTRIC CONVECTION OVEN



SHM

SHM-4WD

Dimension	675x640x500mm
Tray Size	315x435mm
Capacity	4 trays
Electric Power	4500watt/1phase/220Volt
Weight	40Kg

COMBI OVEN

MOVAIR
FROM SIDE TO SIDE



MOVAIR
FROM SIDE TO SIDE

Cooking by convection, steam, combined convection/steam, convection with humidifying and with dehumidifying, with a core probe, temperature holding. These are all **MovAir** functions, available in both gas and electric versions. The sides with double fitments enable use of both Gastronorm size trays and 600x400 patisserie trays.


MovAir is the only one of its kind available in **mirrored L** model (left side hinges and right side panel) or **R** model (right side hinges and left side panel).


FUNCTIONS

- Temperature control from 50° to 300 °C;
- Time control from 1' to 599' and presence of infinite function;
- Cooking method: convection, steam, combined convection/steam, cooling during cooking, holding, smoking;
- "One Touch" cooking mode: immediate start of the cooking cycle with "One Touch";
- Preset cooking program. Possibility of controlling 9 cooking phases for each program;
- Schedule departue of cooking;
- Cooking with "Rack contr
- Interface "Recipe Tuner";
- Delta T cooking;
- Cooking with probe;
- Multi level cooking with "EasyService";
- Motorized opening of the vent valve;
- Back key;
- Main Menu key;
- Key Start/Stop.



Accessories



	MTE523W	MTE5W	MTE7W	MTE10W 
Dimension	637x692x657mm	907x752x657mm	907x752x837mm	907x752x1037mm
Power	4,8kW	7,7kW	12,6kW	17,3kW
Voltage	400V-3N/50Hz	400V-3N/50Hz	400V-3N/50Hz	400V-3N/50Hz
Capacity	5GN 2/3	5x(GN 1/1-EN 600x400)	7x(GN 1/1-EN 600x400)	10x(GN 1/1-EN 600x400)

	MTG5W	MTG7W	MTG10W
Dimension	907x752x717mm	907x752x897mm	907x752x1097mm
Power	0,3kW	0,6kW	0,6kW
Voltage	230V-1N/50Hz	230V-1N/50Hz	230V-1N/50Hz
Capacity	5x(GN 1/1-EN 600x400)	7x(GN 1/1-EN 600x400)	10x(GN 1/1-EN 600x400)

 - Electric power version  - Gas power version  - Extra power version with 3 fans

COMBI OVEN



10 trays

20 trays GN 1/1


20 trays GN 2/1



The Steambox Evolution range sets a new era for Giorik, where technological research defines new products. The range has been completely updated, as evolved as never before.

A patented system from Giorik now makes it possible for Steambox Evolution H ovens to generate steam in two different ways. These combine the quality of boiler-generated steam with the speed and economy of steam generated in INSTANT mode. The advantages of this system are easy to measure in terms of SPEED, QUALITY, EFFICIENCY and SAVING.

Accessories



Features recap

- Combined steam production system BOILER/DIRECT;
- 9" touch screen panel, 9 cooking phases;
- Cooking modes: convection, mixed, steam, cooling, holding, smoking;
- Cooking method programs (grill, roast, braise, au gratin, fry, smoke, bread and pastry cooking, steam cooking);
- Preset cooking programs;
- Overnight cooking;
- RackControl with EasyService;
- Recipe Tuner;
- Regeneration;
- Cooking chamber humidity control METEO SYSTEM;
- Retractable hand spray as standard;
- 1 point core probe as standard, multipoint as optional;
- Steam quality control system (dry-wet) STEAM TUNER;
- Automatic washing system with liquid detergent or tabs;
- Boiler automatic descaling;
- 6 fan speed;
- Delta T cooking;
- Autoreverse with rotation times changing according to the set cooking cycle;
- Speed cooling and with door open;
- Chamber led lighting;
- Suitable for 60x40 trays with specific tray holding structure;
- Wi-Fi as standard;
- USB connection;
- Left hinged door available for certain models.

	SEHE102W ⚡	SEHE201W ⚡	SEHE202W ⚡	SEHG102W 🔥	SEHG201W 🔥	SEHG202W 🔥
Dimension	1120x845x1115mm	995x835x1850mm	1200x910x1850mm	1120x845x1115mm	995x835x1850mm	1200x910x1850mm
Power	28,3kW	33,3kW	54,1kW	3,3kW	3,3kW	4,1kW
Voltage	3N 400V	3N 400V	3N 400V	1N 230V	1N 230V	1N 230V
Capacity	10 GN 2/1	20 GN 1/1	20 GN 2/1	10 GN 2/1	20 GN 1/1	20 GN 2/1

⚡ - Electric power version 🔥 - Gas power version

CREPE MAKER



DE-1A

DE-08A

	DE-1A ⚡	DE-08A 🔥
Dimension	450x570x240mm	450x580x210mm
Electrical	3kW/220V/50-60Hz	-
Weight	16.35kg	17kg



WAFFLE MACHINE



	EB-M3	UWB-1	UWB-2	WZ-QQ
Dimension	250x500x190mm	250x360x260mm	500x360x260mm	225x400x260mm
Power	1100Watt	1000Watt	2000Watt	1000Watt
Weight	9.5Kg	5.5Kg	10.5Kg	9.3Kg

CONE MAKER



ZU-1

Dimension	250x360x260mm
Electrical	1kW/1phase/220V
Weight	6,25kg

POPCORN MACHINE



JTP-6A

Dimension	453x362x610mm
Electrical	1,45kW/220V/50-60Hz
Weight	14,2kg

PLANETARY MIXER



Standard attachment



KB-7LT

Dimension	460x280x480mm
Electrical	0,32kW/1Phase/220V
Capacity	7Liters
Weight	15kg

ICE CREAM MACHINE



	<u>MQ-L16E</u>	<u>MQ-L20AN</u>	<u>MQ-L20N</u>
Dimension	220x660x720mm	544x710x850mm	504x705x1177mm
Power	1Kw	1.9Kw	1.9Kw
Capacity	16-18L/H	20L/H	20L/H
Refrigerant	R404A	R22/R410A	R22/R410A
Weight	50kg	88kgs	98kgs

STEAMING MACHINE



	<u>JBT-620-3</u>	<u>JBT-620-1</u>
Dimension	690x620x710mm	690x620x710mm
Dia. of The Steamer	130mm	360mm
Weight	25Kg	25Kg

AUTOMATIC GAS DONUT MACHINE



	<u>T-100B</u>
Dimension	1300x650x840mm
Electrical	50Watt
Tank Size	805x310x115mm/29L
Product Size	20~120mm
Mould Size	25,25,45mm/3set
Capacity	300~1200pcs/Hr
Weight	74kg

WARMING SHOWCASE



DH-660



DH-900



DH-827



DH-827-1

	DH-660	DH-900	DH-827	DH-827-1
Dimension	660x480x670mm	900x480x670mm	660x495x610mm	360x495x613mm
Power	1000Watt	1900Watt	800Watt	425Watt
Temperature	0-80°C	0-80°C	0-80°C	0-80°C
Weight	28,5kg	36kg	23kg	18kg



XCR-68L

Dimension	425x380x815mm
Capacity	68L
Temperature	20-70°C
Power	400Watt
Weight	24Kg



XCR-35L

XCR-50L

	XCR-35L	XCR-50L
Dimension	555x361x303mm	555x361x368mm
Power	800Watt	800Watt
Temperature	30-90°C	30-90°C
Weight	11.5kg	13.2kg

STEAMING CABINET



ZBG-5A

Dimension	370x450x770mm
Power	800Watt
Weight	20kg



VZB-25

Dimension	460x390x760mm
Power	1100Watt

DISPLAY COOLER

XC-58L
XC-68L

Dimension	447x400x819mm	447x400x894mm
Capacity	58L	68L
Temperature	0-12°C	0-12°C
Power	220Watt	220Watt
Climate Type	4	4
Refrigerant	R134A/R600A	R134A/R600A
Weight	31Kg	34Kg


XCW-100L

Dimension	682x450x675mm
Capacity	100L
Temperature	2-10°C
Power	220Watt
Climate Type	4
Refrigerant	R134A/R600A
Weight	39Kg



XCW-120F
XCW-160F

Dimension	710x568x686mm	888x568x686mm
Capacity	120L	160L
Temperature	0-12°C	0-12°C
Power	220Watt	220Watt
Climate Type	4	4
Refrigerant	R600A	R600A
Weight	57Kg	66Kg


SUSHI SHOWCASE



	XCS-42L	XCS-62L	XCS-132L
Dimension	1148x406x316mm	1500x406x316mm	1771x406x316mm
Capacity	42L	62L	132L
Temperature	0-8°C	0-8°C	0-8°C
Power	230Watt	230Watt	230Watt
Climate Type	3	3	3
Refrigerant	R134A/R600A	R134A/R600A	R134A/R600A
Weight	35Kg	42Kg	46Kg



COMBINED SHOWCASE



*FGO36-900
FGO48-1200*



*FGO36-900LS
FGO48-1200LS*

	FGO36-900	FGO48-1200	FGO36-900LS	FGO48-1200LS
Dimension	900x800x1500mm	1200x800x1500mm	900x800x1500mm	1200x800x1500mm
Capacity	320L	420L	330L	430L
Temperature	2-5°C	2-5°C	2-5°C	2-5°C
Power	810Watt	900Watt	810Watt	900Watt
Shelves	1pcs	1pcs	1+1pcs	1+1pcs
Refrigerant	R404A/R290	R404A/R290	R404A/R290	R404A/R290

SQUARE CAKE DISPLAY CABINET



	SG090FA-M	SG120FA-M	SG150FA-M	SG180FA-M
Dimension	900x700x1250mm	1200x700x1250mm	1500x700x1250mm	1800x700x1250mm
Capacity	270L	470L	600L	730L
Temperature	2-8°C	2-8°C	2-8°C	2-8°C
Power	790Watt	930Watt	1050Watt	1240Watt
Refrigerant	R404A/R134A	R404A/R134A	R404A/R134A	R404A
Weight	232Kg	278Kg	312Kg	363Kg

CURVED CAKE DISPLAY CABINET



	CG090FA-M	CG120FA-M	CG150FA-M	CG180FA-M
Dimension	900x700x1250mm	1200x700x1250mm	1500x700x1250mm	1800x700x1250mm
Capacity	205L	330L	400L	500L
Temperature	2-8°C	2-8°C	2-8°C	2-8°C
Power	760Watt	930Watt	1070Watt	1280Watt
Refrigerant	R404A/R134A	R404A/R134A	R404A/R134A	R404A
Weight	191Kg	227Kg	267Kg	309Kg

OPEN DISPLAY COOLER



	XCS-180L	XCS-220L	XCS-360L
Dimension	494x677x1455mm	1494x677x1744mm	886x945x1521mm
Capacity	180L	220L	360L
Temperature	2-12°C	2-12°C	2-12°C
Power	1340Watt	1340Watt	1400Watt
Refrigerant	R290	R290	R290
Weight	82Kg	96Kg	126Kg

UP-RIGHT (FREZEER-CHILLER)



SLLD4-450F
SLLZ4-450F



SLLD4-1000F
SLLZ4-1000F



SLLD4-1600F
SLLZ4-1600F

	SLLD4-450F	SLLZ4-450F	SLLD4-1000F	SLLZ4-1000F	SLLD4-1600F	SLLZ4-1600F
--	-------------------	-------------------	--------------------	--------------------	--------------------	--------------------

Dimension	685x755x2040mm	685x755x2040mm	1250x750x2040mm	1250x750x2040mm	1880x750x2040mm	1880x750x2040mm
Capacity	450L	450L	1000L	1000L	1600L	1000L
Temperature	-12 ~ -18°C	-2 ~ 10°C	-12 ~ -18°C	-2 ~ 10°C	-12 ~ -18°C	-2 ~ 10°C
Power	480Watt	400Watt	630Watt	590Watt	1500Watt	780Watt
Refrigerant	R404A	R134A	R404A	R404A	R404A	R404A
Weight	102Kg	102Kg	150Kg	150Kg	208Kg	208Kg

BLAST FREEZER



BF-03



BF-05



BF-08



BF-11



BF-15

Dimension	710x700x560mm	790x720x920mm	790x800x1320mm	790x800x1680mm	790x800x1950mm
Capacity	3 trays - 600x400mm	5 trays - 600x400mm	8 trays - 600x400mm	11 trays - 600x400mm	15trays - 600x400mm
Capacity	3 trays - GN1/1	5 trays - GN1/1	8 trays - GN1/1	11 trays - GN1/1	15trays - GN1/1
Temperature	-40°C	-36 ~ -40°C	-36 ~ -40°C	-36 ~ -40°C	-36 ~ -40°C
Electrical	790Watt/1phase/220V	1250Watt/1phase/220V	1800Watt/1phase/220V	3450Watt/3phase/380V	4840Watt/3phase/380V
Yield Chilling	10Kg	20Kg	30Kg	40Kg	55Kg
Yield Freezing	7Kg	12Kg	20Kg	30Kg	40Kg
Tray Pitch	70mm	70mm	70mm	70mm	70mm
Refrigerant	R404A	R134A/R404A	R134A/R404A	R134A/R404A	R134A/R404A
Weight	57Kg	109Kg	142Kg	170Kg	200Kg

UNDER-COUNTER (FREZEER-CHILLER)



*SLLD4-120F/SLLZ4-120F
SLLD4-220F/SLLZ4-220F*



SLLD4-420F/SLLZ4-420F

	SLLD4-120F	SLLZ4-120F	SLLD4-220F	SLLZ4-220F	SLLD4-420F	SLLZ4-420F
Dimension	1200x600x800mm	1200x600x800mm	1500x600x790/920mm	1500x600x790/920mm	1800x760x785/920mm	1800x760x785/920mm
Capacity	120L	120L	220L	220L	420L	420L
Temperature	-12 ~ -18°C	-2 ~ 10°C	-12 ~ -18°C	-2 ~ 10°C	-12 ~ -18°C	-2 ~ 10°C
Power	398Watt	661Watt	350Watt	350Watt	440Watt	440Watt
Refrigerant	R404A	R134A	R404A	R134A	R404A	R134A
Weight	74Kg	74Kg	83Kg	83Kg	126Kg	126Kg

ICE CUBE MAKER



*AC-55/AC-80
AC-120/AC-215*



AC-350




*AC-400/AC-500/AC-600
AC-700/AC-1050*



AC-1500/AC-2000

	Dimension	Capacity	Storage	Electrical	Ice Type
AC-55	430x530x(710+30)mm	25Kg	8Kg	220V/260W	M
AC-80	430x530x(760+30)mm	36Kg	10Kg	220V/400W	M
AC-120	530x570x(790+30)mm	55Kg	20Kg	220V/520W	S/M/L
AC-215	680x670x(830+100)mm	95Kg	35Kg	220V/650W	S/M/L
AC-350	700x750x(1095+150)mm	160Kg	80Kg	220V/820W	S/M
AC-400	560x860x(1575+150)mm	180Kg	160Kg	220V/860W	S/M/L
AC-500	560x860x(1655+150)mm	220Kg	160Kg	220V/960W	M
AC-600	760x860x(1575x150)mm	270Kg	250Kg	220V/1200W	S/M/L
AC-700	760x860x(1655x150)mm	320Kg	250Kg	220V/1400W	M
AC-1050	760x860x(1755x150)mm	455Kg	250Kg	220V/2000W	S/M/L
AC-1500	1220x860x(1755x150)mm	655Kg	400Kg	220V/2500W	M
AC-2000	1220x860x(1755x150)mm	855Kg	400Kg	380V/3200W	S/M/L

Refrigerant : R404A



Head Office :

Jakarta

Jl. Pangeran Jayakarta, Komp 117, Blok A No. 8-10
Jakarta Pusat 10730

Phone : (021) 6599 657, 6249 282
Fax : (021) 6497 850, 6008 474
Mail : sh@sinarhimalaya.com

Branch Office :

Surabaya

Jl. Kedungdoro No. 36-46 Blok 6-7, Surabaya 60251

Phone : (031) 5322 160, 5342 735, 5344 035
Fax : (031) 5316 113
Mail : shsby@sinarhimalaya.com

Semarang

Jl. Majapahit No. 119A, Semarang 50161

Phone : (024) 6711 822, 6711 829, 7692 8639
Fax : (024) 7674 1786
Mail : shsmr@sinarhimalaya.com

Medan

Jl. T. Amir Hamzah No. 50 C-D, Medan 20117

Phone : (061) 8008 9000, 8008 9054
Fax : (061) 8008 9104
Mail : shmdn@sinarhimalaya.com

Follow Us On :



www.sinarhimalaya.com



@Sinar_Himalaya



Sinar Himalaya



Sinar Himalaya



08558833404



WhatsApp